



**WENSMAN**

## 2010 Plot Results Report - Corn

Plot Number: 69342	Crop: Corn	Soil Test pH: 0.0
Plot Type: Third Party	Planting Date: 5/10/2010	Soil Test CEC: 0
Cooperator: BROWN COUNTY CROP IMPROVEMENT		
Harvest Date: 10/12/2010	Drainage: Well Drained	
Location: Mansfield, SD	Previous Crop: Soybeans	Irrigation: No
County: Brown	Tillage: Strip Till	Fertility:
Soil Type: Clay Loam	Row Width: 30	Temperature Early:
Herbicides:	Planted Pop.: 28,000	Temperature Mid:
	Rainfall Early:	Temperature Late:
	Rainfall Mid:	Major Disease:
Insecticide:	Rainfall Late: Average	Major Insect:
Comments:		

<i>Brand</i>	<i>Product</i>	<i>Seed Trtmt</i>	<i>Chk?</i>	<i>% H2O</i>	<i>Harvest POP (,000)</i>	<i>Lodging</i>		<i>Test Wt</i>	<i>Yield @ 15%</i>	<i>Adj. Yield @ 15%</i>	<i>\$ per Acre</i>	<i>Yield Rank</i>
						<i>Stalk %</i>	<i>Root %</i>					
Kruger	K7599VT3	P250	Yes	17.0				56.9	184.6	184.6	\$541	
Golden Harvest	H-6629 3000GT	CR250		16.2				59.3	181.6	183.3	\$542	11
Mycogen	2J337	CR250		16.6				56.0	169.1	171.1	\$504	21
Pioneer	38N88	P1250		16.5				58.6	166.0	168.3	\$496	24
Kruger	K-7593VT3P	P250		15.4				58.7	180.8	183.4	\$548	10
Dekalb	DKC43-27	P250		14.7				58.0	167.8	170.7	\$512	22
Producers Hybrids	5314VT3	P250		15.2				58.6	176.0	179.2	\$536	16
Golden Harvest	H-6816 3000GT	P250		16.7				58.9	168.6	172.1	\$506	20
Pioneer	P9494XR	P1250		16.0				57.2	173.3	177.1	\$525	18
Wensman	W8180STX	P250		17.0				56.1	175.9	180.0	\$527	14
Peterson	48Q95 3000GT	P250		14.7				58.5	180.1	184.5	\$554	9
Kruger	K-6194VT3	P250		15.7				57.9	164.3	169.0	\$503	23
Seeds 2000	9501VT3	P250		14.5				57.9	161.4	166.4	\$499	25
Seeds 2000	9502VT3	P250		16.2				56.9	174.3	179.6	\$531	15
Kruger	K7599VT3	P250	Yes	16.6				57.5	180.4	180.4	\$531	
Producers Hybrids	5684VT3	P250		16.8				60.9	174.2	178.9	\$525	17
Wensman	W7230VT3	P250		15.6				56.8	191.8	195.6	\$583	2
Golden Harvest	H-7105GT	P250		15.7				57.5	162.8	165.7	\$493	26
Producers Hybrids	5784VT3	P250		15.7				58.4	186.4	188.4	\$561	3
Kruger	K7595VT3	P250		16.4				58.8	180.5	181.6	\$536	12
Wensman	W8262STX	P250		18.4				57.0	180.4	180.6	\$520	13
Mycogen	2P486	CR250		17.2				56.3	173.7	173.0	\$506	19
Dekalb	DKC48-37	P250		15.0				60.1	186.8	185.2	\$556	7
Seeds 2000	9901VT3	P250		16.7				59.7	187.5	185.0	\$544	8



**WENSMAN**

## 2010 Plot Results Report - Corn

---

Mycogen	2H490	CR250	19.5	56.5	191.4	188.0	\$534	4
Dekalb	DKC50-66	P250	17.5	58.1	189.6	185.3	\$540	5
Peterson	59CO02	P250	18.2	57.1	190.5	185.3	\$535	6
Pioneer	36V53	P1250	20.6	57.6	204.4	198.3	\$556	1
Kruger	K7599VT3	P250	Yes 18.2	58.6	193.0	193.0	\$557	
<b>Plot Averages</b>			<b>16.5</b>	<b>58.0</b>	<b>178.4</b>	<b>179.8</b>		
<b>Check Averages</b>			<b>17.3</b>	<b>57.7</b>	<b>186.0</b>			