



WENSMAN

2011 Plot Results Report - Corn

Plot Number: 73473

Crop: Corn

Soil Test pH:

Plot Type: Strip

Planting Date: 5/25/2011

Soil Test CEC:

Cooperator: Bruce Solvie

Harvest Date: 10/27/2011

Drainage: Well Drained

Location: Hancock, MN

Previous Crop: Sugar Beets

Irrigation: No

County: Stevens

Tillage: Conventional

Fertility: 5-16-0

Soil Type: Clay Loam

Row Width: 22

Temperature Early:

Herbicides:

Planted Pop.: 34,000

Temperature Mid:

Insecticide:

Rainfall Early:

Temperature Late:

Rainfall Mid:

Major Disease:

Rainfall Late: Above Avg.

Major Insect:

Comments:

<i>Brand</i>	<i>Product</i>	<i>Seed Trtmt</i>	<i>Chk?</i>	<i>% H2O</i>	<i>Harvest POP (,000)</i>	<i>Lodging Stalk %</i>	<i>Root %</i>	<i>Test Wt</i>	<i>Yield @ 15%</i>	<i>Adj. Yield @ 15%</i>	<i>\$ per Acre</i>	<i>Yield Rank</i>
Stine	9204VT3		Yes	16.7		0.0	0.0	57.1	182.7	182.7	\$1,078	
Dekalb	DKC36-34			16.1		0.0	0.0	57.9	175.3	175.3	\$1,040	22
Stine	Unknown			15.7		0.0	0.0	56.7	176.1	176.1	\$1,049	20
Stine	9206RR			15.7		0.0	0.0	56.1	178.5	178.5	\$1,064	13
Stine	9207GTCBLL			16.0		0.0	0.0	54.2	181.9	181.9	\$1,080	9
Dekalb	DKC43-27			15.7		0.0	0.0	55.6	173.7	173.7	\$1,035	24
Stine	9204VT3		Yes	16.4		0.0	0.0	57.0	183.4	183.4	\$1,085	
Stine	9311VT3Pro			16.9		0.0	0.0	58.5	187.0	187.0	\$1,101	5
Stine	EX95B VT3P			16.1		0.0	0.0	56.7	192.7	192.7	\$1,143	1
Stine	Unknown			16.3		0.0	0.0	56.7	184.4	184.4	\$1,092	7
Stine	9417VT3			16.8		0.0	0.0	54.8	179.3	179.3	\$1,056	10
Stine	9417RR			17.1		0.0	0.0	56.0	178.7	178.7	\$1,050	12
Stine	9204VT3		Yes	16.4		0.0	0.0	57.1	183.4	183.4	\$1,085	
Mycogen	2J337			16.5		0.0	0.0	57.2	179.2	179.2	\$1,059	11
Mycogen	2J339			16.8		0.0	0.0	55.9	174.6	174.6	\$1,029	23
NK Brand	N29T-3000GT			15.5		0.0	0.0	53.5	175.7	175.7	\$1,049	21
Wensman	W 7140VT3PRO			16.1		0.0	0.0	58.1	187.2	187.2	\$1,111	4
NK Brand	N33R-3000GT			15.8		0.0	0.0	55.6	160.8	160.8	\$957	29
Stine	9204VT3		Yes	16.9		0.0	0.0	57.0	182.3	182.3	\$1,073	
Dekalb	DKC44-92			16.4		0.0	0.0	56.4	191.3	191.3	\$1,132	2
Channel	195-46STX			16.2		0.0	0.0	56.6	178.3	178.3	\$1,057	14
Dekalb	DKC45-51			16.4		0.0	0.0	55.8	177.8	177.8	\$1,052	17
Mycogen	2A399			16.5		0.0	0.0	54.1	168.1	168.1	\$993	27
Wensman	W 7268VT3			16.8		0.0	0.0	55.5	185.6	185.6	\$1,094	6
Stine	9204VT3		Yes	16.2		0.0	0.0	57.3	181.4	181.4	\$1,075	

<i>Brand</i>	<i>Product</i>	<i>Seed Trtmt</i>	<i>chk?</i>	<i>% H2O</i>	<i>Harvest POP (,000)</i>	<i>Lodging</i>		<i>Test Wt</i>	<i>Yield @ 15%</i>	<i>Adj. Yield @ 15%</i>	<i>\$ per Acre</i>	<i>Yield Rank</i>
						<i>Stalk %</i>	<i>Root %</i>					
Channel	196-06VT3P			16.5		0.0	0.0	55.8	187.9	187.9	\$1,110	3
Pioneer	P9630AM1			17.1		0.0	0.0	56.3	176.3	176.3	\$1,036	19
Dekalb	DKC48-12			16.8		0.0	0.0	54.7	177.8	177.8	\$1,048	16
NK Brand	N38U-3000GT			16.6		0.0	0.0	52.7	178.2	178.2	\$1,052	15
Mycogen	2P484			15.8		0.0	0.0	53.6	172.7	172.7	\$1,028	26
Stine	9204VT3		Yes	16.4		0.0	0.0	56.8	178.6	178.6	\$1,057	
Mycogen	2P486			16.3		0.0	0.0	54.6	163.8	163.8	\$970	28
Wensman	W 7270VT3PRO			16.1		0.0	0.0	56.0	184.0	184.0	\$1,092	8
Pioneer	P9910AM1			16.9		0.0	0.0	54.3	177.5	177.5	\$1,045	18
Dekalb	DKC50-66			16.9		0.0	0.0	55.7	173.6	173.6	\$1,022	25
Stine	9204VT3		Yes	17.1		0.0	0.0	55.6	185.7	185.7	\$1,091	
Plot Averages				16.4				55.7	178.6	178.6		
Check Averages				16.6				56.8	182.5			