



**WENSMAN**

## 2009 Plot Results Report - Soybeans

Plot Number: 65035

Crop: Soybeans

Soil Test pH: 0.0

Plot Type: Strip

Planting Date: 5/29/2009

Soil Test CEC: 0

Cooperator: Dave Dinger

Harvest Date: 11/8/2009

Drainage: Prooly

Location: Hecla, SD

Previous Crop: Corn

Irrigation: No

County: Brown

Tillage: Minimum

Fertility:

Soil Type: Sandy Loam

Row Width: 30

Temperature Early:

Herbicides:

Planted Pop.: 170,000

Temperature Mid:

Rainfall Early:

Temperature Late:

Rainfall Mid:

Major Disease:

Rainfall Late: Above Avg.

Major Insect:

Insecticide:

Comments: Treatment A was quickroots

<i>Brand</i>	<i>Product</i>	<i>Seed Trtmt</i>	<i>Chk?</i>	<i>H2O %</i>	<i>Lodging Score</i>	<i>Yield @ 13%</i>	<i>Yield Adj. To Check</i>	<i>\$ per Acre</i>	<i>Yield Rank</i>
Wensman	W2166RR	CRMX	Yes	14.7		41.5	41.5	\$374	
Wensman	W2069RR	CRMX		14.3		54.2	60.4	\$544	1
Wensman	W2079RR	CRMX		14.3		38.3	43.1	\$388	17
Wensman	W2090RR	CRMX		14.3		50.8	54.3	\$489	7
Wensman	W2108RR	CRMX		14.3		56.7	58.9	\$530	2
Wensman	W2112RR	CRMX		14.1		51.8	52.7	\$474	9
Wensman	W2126RR	CRMX		14.3		55.8	55.3	\$498	5
Wensman	W2166RR	CRMX	Yes	14.4		50.8	50.8	\$457	
Wensman	W2152NRR	CRMX		14.8		48.1	46.4	\$418	14
Wensman	W2166RR	CRMX		14.4		49.1	47.5	\$428	13
Pioneer	91M51	CRMX		14.1		46.8	45.3	\$408	16
Croplan	RT1595	CRMX		14.2		53.4	52.0	\$468	10
Asgrow	AG1506	CRMX		14.5		49.1	47.7	\$429	12
Wensman	W2112RR	CRMX		14.0		56.9	55.6	\$500	4
Asgrow	AG1102	CRMX		14.4		55.8	54.6	\$491	6
Asgrow	AG1403	CRMX		14.5		52.4	51.3	\$462	11
Wensman	W2166RR	CRMX	Yes	14.4		50.0	50.0	\$450	
Wensman	W3101R2	Acclrn		14.3		58.3	56.4	\$508	3
Wensman	W3142NR2	Acclrn		14.7		56.4	53.7	\$483	8
Wensman	W2166RR	CRMX		14.3		50.0	46.4	\$418	15
Wensman	W2166RR	CRMX	Yes	14.0		53.5	53.5	\$482	
<b>Plot Averages</b>				<b>14.3</b>		<b>52.0</b>	<b>51.9</b>		
<b>Check Averages</b>				<b>14.4</b>		<b>49.0</b>			