



**WENSMAN**

## 2009 Plot Results Report - Soybeans

Plot Number: 61689

Crop: Soybeans

Soil Test pH: 0.0

Plot Type: Strip

Planting Date: 5/20/2009

Soil Test CEC: 0

Cooperator: Roger Kock

Harvest Date: 11/6/2009

Drainage: Adequate

Location: Chancellor, SD

Previous Crop: Corn

Irrigation: No

County: Turner

Tillage: Conventional

Fertility:

Soil Type: Silty Clay Loam

Row Width: 30

Temperature Early:

Herbicides: Treflan

Planted Pop.: 0

Temperature Mid:

Rainfall Early:

Temperature Late:

Rainfall Mid:

Major Disease:

Insecticide:

Rainfall Late: Average

Major Insect:

Comments: Entry 4: RC2329, Entry 6: R2C2878, Entry 15: RC2539

<b>Brand</b>	<b>Product</b>	<b>Seed Trtmt</b>	<b>Chk?</b>	<b>H2O %</b>	<b>Lodging Score</b>	<b>Yield @ 13%</b>	<b>Yield Adj. To Check</b>	<b>\$ per Acre</b>	<b>Yield Rank</b>
Croplan	RC2350	Untr	Yes	14.4		51.9	51.9	\$467	
Croplan	RC2350	CRMX		13.2		51.4	51.7	\$465	10
NK Brand	S21-N6	CRMX		13.7		52.0	52.1	\$469	8
Croplan	RC2329	CRMX		14.0		50.7	50.7	\$456	14
Wensman	W3244NR2	Acclrn		13.3		54.5	54.4	\$490	6
Croplan	R2C2878	Acclrn		13.1		55.2	54.9	\$494	5
Croplan	RT2222	CRMX		12.9		50.7	50.3	\$453	15
NK Brand	S25-T7	CRMX		13.0		51.3	50.8	\$457	13
Croplan	RT2610	CRMX		13.0		51.0	50.3	\$453	16
Croplan	RC2350	Untr	Yes	13.3		53.1	53.1	\$478	
NK Brand	S21-B1	CRMX		12.7		53.6	52.9	\$476	7
Wensman	W2222NRR	CRMX		13.2		51.5	50.9	\$458	12
Croplan	RC2177V	CRMX		12.2		42.3	41.9	\$402	17
NK Brand	S25-R3	CRMX		11.8		55.8	55.5	\$500	3
Croplan	RC2539	CRMX		12.2		55.2	55.0	\$495	4
Croplan	RC2020	CRMX		12.3		51.7	51.6	\$464	11
NK Brand	S23-N7	CRMX		11.8		52.0	52.0	\$468	9
Croplan	RT2547	CRMX		12.2		58.1	58.3	\$525	1
Wensman	W3212NR2	Acclrn		12.3		56.8	57.1	\$514	2
Croplan	RC2350	Untr	Yes	12.0		51.9	51.9	\$467	
<b>Plot Averages</b>				<b>12.8</b>		<b>52.6</b>	<b>52.4</b>		
<b>Check Averages</b>				<b>13.2</b>		<b>52.3</b>			