



WENSMAN

2009 Plot Results Report - Corn

Plot Number: 64704	Crop: Corn	Soil Test pH: 0.0
Plot Type: Strip	Planting Date: 5/1/2009	Soil Test CEC: 0
Cooperator: Clint and Joel Overskei		
Harvest Date: 11/19/2009	Drainage: Adequate	
Location: Nunda, SD	Previous Crop: Soybeans	Irrigation: No
County: Lake	Tillage: Conventional	Fertility:
Soil Type: Sandy Clay Loa	Row Width: 22	Temperature Early:
Herbicides:	Planted Pop.: 0	Temperature Mid:
	Rainfall Early:	Temperature Late:
	Rainfall Mid:	Major Disease:
Insecticide:	Rainfall Late: Above Avg.	Major Insect:

Comments: Entries 2, 6, 18 & 19 were killed with RR so entries 1,3,5, 7 ,17 & 20 are unusable. These 10 plots were deleted.

<i>Brand</i>	<i>Product</i>	<i>Seed Trtmt</i>	<i>Chk?</i>	<i>% H2O</i>	<i>Harvest POP (,000)</i>	<i>Lodging</i>		<i>Test Wt</i>	<i>Yield @ 15%</i>	<i>Adj. Yield @ 15%</i>	<i>\$ per Acre</i>	<i>Yield Rank</i>
						<i>Stalk %</i>	<i>Root %</i>					
Garst	88R89GT	CR0.25		17.4				50.9	189.6	189.6	\$636	6
Wensman	W6271RR	P250		17.3				55.0	189.4	189.4	\$637	7
Garst	88F75-3000GT	CR0.25		18.1				53.7	179.1	179.1	\$594	11
Wensman	W7267VT3	P250		17.4				53.9	187.3	187.3	\$629	8
Wensman	W7273VT3	P250		18.3				53.8	195.9	195.9	\$647	2
Garst	88B38GT/CB/L	CR0.25		18.6				51.5	185.5	185.5	\$609	9
Wensman	W7289VT3	P250		18.3				55.2	180.9	180.9	\$597	10
Garst	87G94-3000GT	CR0.25		19.0				53.3	178.0	178.0	\$580	12
Dekalb	DKC50-35	P250		19.7				51.7	198.2	198.2	\$638	1
Dekalb	DKC50-66	P250		18.3				54.1	193.7	193.7	\$640	5
Wensman	W7309VT3	P250		18.8				54.1	195.6	195.6	\$640	3
Garst	85V87GT/CB/L	CR0.25		20.8				50.9	193.8	193.8	\$611	4
Plot Averages				18.5				53.2	188.9	188.9		