



**WENSMAN**

## 2011 Plot Results Report - Corn

Plot Number: 72047

Crop: Corn

Soil Test pH: 6.8

Plot Type: NET

Planting Date: 5/18/2011

Soil Test CEC: 19.9

Cooperator: Pat Mueller

Harvest Date: 10/11/2011

Drainage: Well Drained

Location: Hillsboro, ND

Previous Crop: Soybeans

Irrigation: No

County: Traill

Tillage: Conventional

Fertility:

Soil Type: Loamy Sand

Row Width: 22

Temperature Early:

Herbicides:

Planted Pop.: 33,000

Temperature Mid:

Insecticide:

Rainfall Early:

Temperature Late:

Rainfall Mid:

Major Disease:

Rainfall Late:

Major Insect:

Comments:

<i>Brand</i>	<i>Product</i>	<i>Seed Trtmt</i>	<i>Chk?</i>	<i>% H2O</i>	<i>Harvest POP (,000)</i>	<i>Lodging</i>		<i>Test Wt</i>	<i>Yield @ 15%</i>	<i>Adj. Yield @ 15%</i>	<i>\$ per Acre</i>	<i>Yield Rank</i>
						<i>Stalk %</i>	<i>Root %</i>					
Wensman	AgR19002	Acclrn		16.4				56.8	126.4	126.4	\$748	4
Wensman	W 7085VT3	Acclrn	Yes	17.7				56.4	141.7	141.7	\$827	
Pioneer	39D97	CR250		15.2				58.8	130.8	130.8	\$783	3
Wensman	W 7080VT3	Acclrn		17.3				54.4	126.2	126.2	\$740	5
Wensman	AgR10078	Acclrn		16.0				57.5	140.7	140.7	\$836	2
Wensman	W 7085VT3	Acclrn	Yes	17.8				55.6	139.3	139.3	\$812	
Dekalb	DKC30-20	P250		15.6				58.9	113.5	113.5	\$677	8
Wensman	AgR10080	P250		17.3				54.9	144.0	144.0	\$844	1
Wensman	AgR10081	P250		16.3				58.0	114.7	114.7	\$679	7
Wensman	W 7085VT3	Acclrn	Yes	17.8				54.8	130.8	130.8	\$763	
Wensman	AgR19002	Acclrn		16.2				56.3	119.5	119.5	\$708	6
<b>Plot Averages</b>				<b>16.3</b>				<b>57.0</b>	<b>127.0</b>	<b>127.0</b>		
<b>Check Averages</b>				<b>17.8</b>				<b>55.6</b>	<b>137.3</b>			