



WENSMAN

2010 Plot Results Report - Corn

Plot Number: 69510	Crop: Corn	Soil Test pH:
Plot Type: Strip	Planting Date: 4/28/2010	Soil Test CEC:
Cooperator: Bruce Solvie - Third year Corn/Corn.		
Harvest Date: 10/7/2010	Drainage: Adequate	
Location: Hancock, MN	Previous Crop: Corn	Irrigation: No
County: Stevens	Tillage: Conventional	Fertility:
Soil Type: Clay Loam	Row Width: 22	Temperature Early:
Herbicides:	Planted Pop.:	Temperature Mid:
	Rainfall Early:	Temperature Late:
	Rainfall Mid:	Major Disease:
Insecticide:	Rainfall Late: Above Avg.	Major Insect:
Comments:		

<i>Brand</i>	<i>Product</i>	<i>Seed Trtmt</i>	<i>Chk?</i>	<i>% H2O</i>	<i>Harvest POP (,000)</i>	<i>Lodging</i>		<i>Test Wt</i>	<i>Yield @ 15%</i>	<i>Adj. Yield @ 15%</i>	<i>\$ per Acre</i>	<i>Yield Rank</i>
						<i>Stalk %</i>	<i>Root %</i>					
Wensman	W7107VT3		Yes	15.7				57.4	204.5	204.5	\$707	
NK Brand	N23K-3000GT			14.3				56.6	156.7	150.3	\$526	34
ProSeed	990CBLLGT			14.4				54.4	165.5	162.8	\$570	33
Wensman	W8107VT2PRO			16.0				56.4	180.7	181.6	\$625	16
Mycogen	2J337			15.8				57.6	179.1	183.7	\$634	11
Stine	9204VT3			16.0				56.6	175.5	183.7	\$632	12
Wensman	W7107VT3		Yes	16.2				56.6	182.6	182.6	\$626	
NK Brand	N29T-CB/LL			14.6				54.1	159.4	170.5	\$597	29
Dekalb	DKC43-30			15.1				55.8	161.9	172.2	\$602	27
Wensman	W7143VT3			16.4				56.9	159.1	168.6	\$576	31
ProSeed	794 3000GT			16.4				54.8	168.2	177.0	\$605	24
Pioneer	P9494XR			16.1				54.7	161.5	169.5	\$582	30
Wensman	W7107VT3		Yes	16.1				57.5	187.3	187.3	\$643	
NK Brand	N33R-GT/CB/L			15.8				56.2	172.4	178.6	\$617	20
NK Brand	N34-3000GT			16.1				55.8	176.2	181.4	\$623	17
ProSeed	PRO E109VT3			17.3				56.9	181.7	185.9	\$625	8
Wensman	W8180STX			18.0				57.4	188.8	192.1	\$638	5
NK Brand	N36K-3000GT			15.9				55.7	175.0	177.3	\$611	22
Wensman	W7107VT3		Yes	16.1				57.5	193.2	193.2	\$663	
Pioneer	P9630XR			17.3				57.5	186.9	188.5	\$634	7
Dekalb	DKC46-61			18.6				56.0	181.0	182.8	\$600	14
Stine	9416VT3			15.1				56.4	165.2	167.3	\$585	32
Mycogen	2J463			15.0				56.2	170.3	172.7	\$604	26
Mycogen	2J465STX			15.7				55.1	177.4	180.0	\$622	19



WENSMAN

2010 Plot Results Report - Corn

Wensman	W7107VT3	Yes	15.5	57.4	191.6	191.6	\$665	
Wensman	W7230VT3		15.2	56.2	169.2	170.8	\$596	28
NK Brand	N37D-3000GT		15.6	56.5	183.9	184.3	\$638	9
Wensman	W7268VT3		17.6	56.3	193.3	192.5	\$644	4
Wensman	W7270VT3PRO		16.9	56.6	197.2	195.1	\$661	1
Wensman	W8262STX		20.1	54.8	181.3	177.9	\$568	21
Wensman	W7107VT3	Yes	16.1	56.7	199.1	199.1	\$684	
Mycogen	2P484		15.7	55.0	181.4	176.3	\$610	25
Stine	9417VT3		16.2	55.6	186.3	180.8	\$620	18
Wensman	W8270STX		19.3	54.3	188.5	182.5	\$592	15
Pioneer	P9910XR		18.1	54.5	190.7	184.3	\$611	10
NK Brand	N47V-3000GT		18.1	54.8	184.0	177.1	\$587	23
Wensman	W7107VT3	Yes	16.2	57.1	201.8	201.8	\$692	
Dekalb	DKC50-35		18.7	55.8	199.1	193.0	\$633	3
Dekalb	DKC50-44		19.8	55.9	194.5	189.6	\$609	6
Dekalb	DKC46-60		16.8	56.8	186.7	183.0	\$621	13
Dekalb	DKC48-37		17.6	57.6	196.2	193.7	\$648	2
Wensman	W7107VT3	Yes	16.5	56.6	195.8	195.8	\$668	
Plot Averages			16.6	55.9	178.7	179.6		
Check Averages			16.1	57.1	194.5			